

**Amendments to the Claims:**

This listing of claims will replace all prior versions and listings of claims in the application:

**Listing of Claims:**

1. (Cancelled)
2. (Currently Amended) The apparatus of claim ~~[[4]]~~ 6, further comprising a plug-in clip to secure the hanger to the suspension element.
3. (Currently Amended) The apparatus of claim ~~[[4]]~~ 6, further comprising a spring clip, the spring clip keeping a cut end of a border panel from displacement from the border structure during a seismic event.
4. (Cancelled)
5. (Currently Amended) The apparatus of claim ~~[[4]]~~ 6, wherein the grid element is attached to the suspension element by a hanger.
6. (Currently Amended) The An apparatus of claim 4 for securing a border ceiling panel in a suspended ceiling system having a plurality of suspension elements, the apparatus comprising:  
a border structure for attachment of the panel to the suspension element, the border structure including a plurality of horizontal and vertical surface members, wherein

a horizontal surface member is inserted into a hanger secured to a suspension element,  
and wherein another horizontal surface member supports a first end of a border ceiling  
panel,

the another horizontal surface member supporting the first end of the border  
ceiling panel has no rib extending therefrom;

a second end of the border panel being supported by a grid element which is  
attached to a suspension element, wherein the grid element is a J-bar structure.

7. (Currently Amended) The apparatus of claim [[4]] 6, wherein the suspension element is a U-profile structure.

8. (Currently Amended) The apparatus of claim [[4]] 6, wherein the border structure is fabricated from a metal sheet.

9. (Currently Amended) The apparatus of claim [[4]] 6, wherein the border structure is formed by an extrusion of metal.

10. (Currently Amended) The apparatus of claim [[4]] 6, wherein the border structure is roll-formed from a metal sheet.

11. (Previously Presented) A suspension system for securing ceiling panels at a ceiling trim location, the system comprising:

a suspension element positioned horizontally;

a plurality of hangers attached to the suspension element;  
a border structure supporting a first end of a ceiling panel, the border structure being supported by the suspension element; and  
a grid element supporting a second end of a ceiling panel, the grid element being supported by the suspension element;  
wherein the hangers attach the border structure and grid element to the suspension element.

12. (Previously Presented) The system of claim 11, wherein each border structure includes a plurality of horizontal surface members, wherein a first horizontal surface member is positioned in a slot in the hanger whereby the border structure is supported by the suspension element and the border panel is positioned in the border structure between the first and second horizontal surface members.

13. (Previously Presented) The system of claim 11, further comprising a plurality of plug-in clips which secure the plurality of hangers to the suspension element.

14. (Previously Presented) The system of claim 11, wherein the horizontal suspension element has a U-profile.

15. (Previously Presented) The system of claim 11, wherein the grid element is a J-bar.

16. (Previously Presented) The system of claim 11, wherein the border structure is formed by a metal extrusion.

17. (Previously Presented) The system of claim 11, wherein the border structure is roll-formed from a metal sheet.

18. (Previously Presented) The system of claim 11, wherein the border structure comprises a spring hold down clip to secure a cut end of a ceiling panel from displacement from the border structure during a seismic event.

19. (Previously Presented) The system of claim 11, wherein the ceiling panel has a cut end which is supported by a border structure.

20. (Cancelled)

21. (Currently Amended) The A border structure ~~of claim 20~~ comprising:

a first horizontal surface member for supporting an end portion of a panel;

a second horizontal surface member;

a third horizontal surface member positioned between the first and second

horizontal surface members;

a first vertical section integrally connecting the first horizontal surface

member and the third horizontal surface member; and

a second vertical section integrally connecting the second horizontal  
surface member and the third horizontal,  
wherein the first vertical section extends in a plane offset from the second vertical  
section,

wherein each of the first and second vertical sections include a pair of hold down clip flanges which extend horizontally from the first and second vertical sections.

22. (Cancelled)

23. (Currently Amended) The border structure of claim ~~20~~ 21, wherein the border structure is formed by a metal extrusion.

24. (Currently Amended) The border structure of claim ~~20~~ 21, wherein the border structure is fabricated from a metal sheet.

25-27. (Cancelled)

28. (Previously Presented) The system of claim 11, wherein the border structure is adjacent a wall.

29. (Previously Presented) The system of claim 11, wherein the border structure is spaced from a wall.